

Manual Robotic Tool Changers | Key | VKS

Sous titre

Unlock key for SWS models



Easily handle your SWS connector with the VKS Square Socket Key: the reference tool to unlock the VS2 security device with ease.

Discover our optimal manipulation tool for the SWS connector: the VKS Square Socket Key. Required to use the VS2 safety locking device, it allows easy disengagement of the spring-loaded latch from the system. Thanks to its simplified opening/closing method, this tool is a must-have for efficient use of the SWS200 connector.

Advantages

Benefits

- Simple design and easy to you
- Cost-effective/li>

Related industries

At your service

Need help in selecting the right product ?

Need more information ?

[Contact us](#)

- [PDF](#)

-
- [Technical Info](#)
 - [Drawings](#)
 - [3D](#)

VKS

Operating temperature -30 to +120 °C

Type Key

Protection rating IP40

Contact durability 50000 cycles

Materials Al, anod.

Operating pressure -1 to 8 bar

Electrical Ducts

Notice : The provided technical data are the higher limits recommended in static condition. To obtain the correct dimensioning of the product, it is necessary to hold account of all the applicable dynamic forces, including the inertia of the manipulator, the configuration of the tools and the external forces applied.

No files actually

For more informations

[Contact us](#)

No files actually

For more informations

[Contact us](#)

The manual Tool Changers are designed and manufactured by GRIP Gmbh.

Product Engineering Services is the Distributor of GRIP for the territory of Belgium and France

Applications